

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

File Copy
09/24/99, 452
updated

PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed for Bs2 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show: 20

Sort

Send to

Text

Items 1-6 of 6

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: Jin H, Axtell MJ, Dahlbeck D, Ekwenna O, Zhang S, Staskawicz B, Baker B.

Links



NPK1, an MEKK1-like mitogen-activated protein kinase kinase kinase, regulates innate immunity and development in plants.

Dev Cell. 2002 Aug;3(2):291-7.

PMID: 12194859 [PubMed - indexed for MEDLINE]

☐ 2: Park CJ, Shin R, Park JM, Lee GJ, You JS, Paek KH.

Links



Induction of pepper cDNA encoding a lipid transfer protein during the resistance response to tobacco mosaic virus.

Plant Mol Biol. 2002 Feb 1;48(3):243-54.

PMID: 11855726 [PubMed - indexed for MEDLINE]

☐ 3: Gassmann W, Dahlbeck D, Chesnokova O, Minsavage GV, Jones JB, Staskawicz BJ.

Links



Molecular evolution of virulence in natural field strains of Xanthomonas campestris pv. vesicatoria.

J Bacteriol. 2000 Dec;182(24):7053-9.

PMID: 11092868 [PubMed - indexed for MEDLINE]

☐ 4: Mudgett MB, Chesnokova O, Dahlbeck D, Clark ET, Rossier O, Bonas U, Staskawicz BJ.

Links



Molecular signals required for type III secretion and translocation of the Xanthomonas campestris AvrBs2 protein to pepper plants.

Proc Natl Acad Sci U S A. 2000 Nov 21;97(24):13324-9.

PMID: 11078519 [PubMed - indexed for MEDLINE]

☐ 5: Tai TH, Dahlbeck D, Clark ET, Gajiwala P, Pasion R, Whalen MC, Stall RE, Staskawicz BJ.

Links



Expression of the Bs2 pepper gene confers resistance to bacterial spot disease in tomato.

Proc Natl Acad Sci U S A. 1999 Nov 23;96(24):14153-8.

PMID: 10570214 [PubMed - indexed for MEDLINE]

☐ 6: Kearney B, Staskawicz BJ.

Links



Widespread distribution and fitness contribution of Xanthomonas campestris avirulence gene avrBs2.

Nature. 1990 Jul 26;346(6282):385-6.

PMID: 2374611 [PubMed - indexed for MEDLINE]

Display

Summary

Show: 20


Sort

Send to

Text

Items 1-6 of 6

One page.

[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Taxonomy](#)[OMIM](#)[Bio](#)Search for ☒ Limits[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[About Entrez](#)Field: **Title/Abstract**

Text Version

Show: ☐ 1: [Luderer R, Takken FL, de Wit PJ, Joosten MH.](#)[Links](#)**Cladosporium fulvum overcomes Cf-2-mediated resistance by producing truncated AVR2 elicitor proteins.**

Mol Microbiol. 2002 Aug;45(3):875-84.

PMID: 12139631 [PubMed - indexed for MEDLINE]

Entrez PubMed[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)**PubMed Services**[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)**Related Resources**[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Cf4 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show: 20

Sort

Send to Text

Items 1-5 of 5

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: Jin H, Axtell MJ, Dahlbeck D, Ekwenna O, Zhang S, Staskawicz B, Baker B.

Links



NPK1, an MEKK1-like mitogen-activated protein kinase kinase, regulates innate immunity and development in plants.

Dev Cell. 2002 Aug;3(2):291-7.

PMID: 12194859 [PubMed - indexed for MEDLINE]

☐ 2: Joosten MH, Vogelsang R, Cozijnsen TJ, Verberne MC, De Wit PJ.

Links

The biotrophic fungus *Cladosporium fulvum* circumvents Cf-4-mediated resistance by producing unstable AVR4 elicitors.

Plant Cell. 1997 Mar;9(3):367-79.

PMID: 9090881 [PubMed - indexed for MEDLINE]

☐ 3: de Wit PJ, Lauge R, Honee G, Joosten MH, Vossen P, Kooman-Gersmann M, Vogelsang R, Vervoort JJ.

Links

Molecular and biochemical basis of the interaction between tomato and its fungal pathogen *Cladosporium fulvum*.

Antonie Van Leeuwenhoek. 1997 Feb;71(1-2):137-41. Review.

PMID: 9049025 [PubMed - indexed for MEDLINE]

☐ 4: Joosten MH, Cozijnsen TJ, De Wit PJ.

Links



Host resistance to a fungal tomato pathogen lost by a single base-pair change in an avirulence gene.

Nature. 1994 Jan 27;367(6461):384-6.

PMID: 8114941 [PubMed - indexed for MEDLINE]

☐ 5: de Wit PJ, Joosten MH, Honee G, Wubben JP, van den Ackerveken GF, van den Broek HW.

Links

Molecular communication between host plant and the fungal tomato pathogen *Cladosporium fulvum*.

Antonie Van Leeuwenhoek. 1994;65(3):257-62. Review.

PMID: 7847893 [PubMed - indexed for MEDLINE]

Display

Summary

Show: 20

Sort

Send to Text

Items 1-5 of 5

One page.

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Ss

Search PubMed for Cf9 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show: 20

Sort

Send to

Text

Items 1-13 of 13

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Abramovitch RB, Kim YJ, Chen S, Dickman MB, Martin GB.](#)[Related Articles, Links](#)**Pseudomonas type III effector AvrPtoB induces plant disease susceptibility by inhibition of host programmed cell death.**

EMBO J. 2003 Jan 2;22(1):60-9.

PMID: 12505984 [PubMed - indexed for MEDLINE]

☐ 2: [Kooman-Gersmann M, Honce G, Bonnema G, De Wit P.](#)[Related Articles, Links](#)**A High-Affinity Binding Site for the AVR9 Peptide Elicitor of Cladosporium fulvum Is Present on Plasma Membranes of Tomato and Other Solanaceous Plants.**

Plant Cell. 1996 May;8(5):929-938.

PMID: 12239406 [PubMed - as supplied by publisher]

☐ 3: [Hennin C, Hofte M, Diederichsen E.](#)[Related Articles, Links](#)**Functional expression of Cf9 and Avr9 genes in Brassica napus induces enhanced resistance to Leptosphaeria maculans.**

Mol Plant Microbe Interact. 2001 Sep;14(9):1075-85.

PMID: 11551072 [PubMed - indexed for MEDLINE]

☐ 4: [Romeis T, Piedras P, Jones JD.](#)[Related Articles, Links](#)**Resistance gene-dependent activation of a calcium-dependent protein kinase in the plant defense response.**

Plant Cell. 2000 May;12(5):803-16.

PMID: 10810151 [PubMed - indexed for MEDLINE]

☐ 5: [Laurent F, Labesse G, de Wit P.](#)[Related Articles, Links](#)**Molecular cloning and partial characterization of a plant VAP33 homologue with a major sperm protein domain.**

Biochem Biophys Res Commun. 2000 Apr 2;270(1):286-92.

PMID: 10733941 [PubMed - indexed for MEDLINE]

☐ 6: [Romeis T, Piedras P, Zhang S, Klessig DF, Hirt H, Jones JD.](#)[Related Articles, Links](#)**Rapid Avr9- and Cf-9 -dependent activation of MAP kinases in tobacco cell cultures and leaves: convergence of resistance gene, elicitor, wound, and salicylate responses.**


Plant Cell. 1999 Feb;11(2):273-87.

PMID: 9927644 [PubMed - indexed for MEDLINE]

☐ 7: [Hammond-Kosack KE, Tang S, Harrison K, Jones JD.](#)[Related Articles, Links](#)**The tomato Cf-9 disease resistance gene functions in tobacco and potato to confer responsiveness to the fungal avirulence gene product avr 9**


Plant Cell. 1998 Aug;10(8):1251-66.
PMID: 9707527 [PubMed - as supplied by publisher]

- ☐ **8:** [de Wit PJ, Lauge R, Honee G, Joosten MH, Vossen P, Kooman-Gersmann M, Vogelsang R, Vervoort JJ](#) [Related Articles, Links](#)

 **Molecular and biochemical basis of the interaction between tomato and its fungal pathogen *Cladosporium fulvum*.**


Antonie Van Leeuwenhoek. 1997 Feb;71(1-2):137-41. Review.
PMID: 9049025 [PubMed - indexed for MEDLINE]

- ☐ **9:** [Honee G, Melchers LS, Vleeshouwers VG, van Roekel JS, de Wit PJ](#) [Related Articles, Links](#)

 **Production of the AVR9 elicitor from the fungal pathogen *Cladosporium fulvum* in transgenic tobacco and tomato plants.**


Plant Mol Biol. 1995 Dec;29(5):909-20.
PMID: 8555455 [PubMed - indexed for MEDLINE]

- ☐ **10:** [Thomas CM, Vos P, Zabeau M, Jones DA, Norcott KA, Chadwick BP, Jones JD](#) [Related Articles, Links](#)

 **Identification of amplified restriction fragment polymorphism (AFLP) markers tightly linked to the tomato Cf-9 gene for resistance to *Cladosporium fulvum*.**


Plant J. 1995 Nov;8(5):785-94.
PMID: 8528290 [PubMed - indexed for MEDLINE]

- ☐ **11:** [Van den Ackerveken GF, Dunn RM, Cozijnsen AJ, Vossen JP, Van den Broek HW, De Wit PJ](#) [Related Articles, Links](#)

 **Nitrogen limitation induces expression of the avirulence gene *avr9* in the tomato pathogen *Cladosporium fulvum*.**


Mol Gen Genet. 1994 May 10;243(3):277-85.
PMID: 8190081 [PubMed - indexed for MEDLINE]

- ☐ **12:** [de Wit PJ, Joosten MH, Honee G, Wubben JP, van den Ackerveken GF, van den Broek HW](#) [Related Articles, Links](#)

 **Molecular communication between host plant and the fungal tomato pathogen *Cladosporium fulvum*.**

Antonie Van Leeuwenhoek. 1994;65(3):257-62. Review.
PMID: 7847893 [PubMed - indexed for MEDLINE]

- ☐ **13:** [Van den Ackerveken GF, Vossen P, De Wit PJ](#) [Related Articles, Links](#)

 **The AVR9 race-specific elicitor of *Cladosporium fulvum* is processed by endogenous and plant proteases.**

Plant Physiol. 1993 Sep;103(1):91-6.
PMID: 8208859 [PubMed - indexed for MEDLINE]

Display Summary Show: 20 Sort Send to Text
Items 1-13 of 13 One page.

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
Department of Health & Human Services
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01

[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Taxonomy](#)[OMIM](#)[Bio](#)Search for ☒ Limits[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[About Entrez](#)

No items found.

[Text Version](#)Field: **Title/Abstract**[See Details.](#)[Entrez PubMed](#)[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)[PubMed Services](#)[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)[Related Resources](#)[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Hcr9 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to Text

☐ 1: [Parniske M, Jones JD.](#)

Links



Recombination between diverged clusters of the tomato Cf-9 plant disease resistance gene family.

Proc Natl Acad Sci U S A. 1999 May 11;96(10):5850-5.

PMID: 10318973 [PubMed - indexed for MEDLINE]

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:36:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Xa21 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-10 of 10

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Datta K, Baisakh N, Thet KM, Tu J, Datta SK.](#)[Related Articles, Links](#)**Pyramiding transgenes for multiple resistance in rice against bacterial blight, yellow stem borer and sheath blight.**

Theor Appl Genet. 2002 Dec;106(1):1-8. Epub 2002 Jul 30.

PMID: 12582865 [PubMed - indexed for MEDLINE]

☐ 2: [Li ZK, Sanchez A, Angeles E, Singh S, Domingo J, Huang N, Khush GS.](#)[Related Articles, Links](#)**Are the dominant and recessive plant disease resistance genes similar? A case study of rice R genes and Xanthomonas oryzae pv. oryzae races.**

Genetics. 2001 Oct;159(2):757-65.

PMID: 11606550 [PubMed - indexed for MEDLINE]

☐ 3: [Yang ZN, Ye XR, Choi S, Molina J, Moonan F, Wing RA, Roose ML, Mirkov TE.](#)[Related Articles, Links](#)**Construction of a 1.2-Mb contig including the citrus tristeza virus resistance gene locus using a bacterial artificial chromosome library of Poncirus trifoliata (L.) Raf.**

Genome. 2001 Jun;44(3):382-93.

PMID: 11444697 [PubMed - indexed for MEDLINE]

☐ 4: [He Z, Wang ZY, Li J, Zhu Q, Lamb C, Ronald P, Chory J.](#)[Related Articles, Links](#)**Perception of brassinosteroids by the extracellular domain of the receptor kinase BRI1.**

Science. 2000 Jun 30;288(5475):2360-3.

PMID: 10875920 [PubMed - indexed for MEDLINE]

☐ 5: [Century KS, Lagman RA, Adkisson M, Morlan J, Tobias R, Schwartz K, Smith A, Love J, Ronald PC, Whalen MC.](#)[Related Articles, Links](#)**Short communication: developmental control of Xa21-mediated disease resistance in rice.**

Plant J. 1999 Oct;20(2):231-6.


PMID: 10571882 [PubMed - indexed for MEDLINE]


☐ 6: [Yoshimura S, Yamanouchi U, Katayose Y, Toki S, Wang ZX, Kono I, Kurata N, Yano M, Iwata N, Sasaki T.](#)[Related Articles, Links](#)**Expression of Xa1, a bacterial blight-resistance gene in rice, is induced by bacterial inoculation.**


Proc Natl Acad Sci U S A. 1998 Feb 17;95(4):1663-8.


PMID: 9465073 [PubMed - indexed for MEDLINE]


☐ 7: [Ronald PC.](#)[Related Articles, Links](#)**The molecular basis of disease resistance in rice.**

 Plant Mol Biol. 1997 Sep;35(1-2):179-86. Review.
PMID: 9291971 [PubMed - indexed for MEDLINE]


 **8:** [Lu C, Li X, Zhu L, Zhang Q, Yang W, Zhao B, Wang C.](#) [Related Articles, Links](#)





 [A PCR marker-based selection for resistance to bacterial blight in rice]
Yi Chuan Xue Bao. 1996;23(2):110-6. Chinese.
PMID: 8695180 [PubMed - indexed for MEDLINE]

 **9:** [Song WY, Wang GL, Chen LL, Kim HS, Pi LY, Holsten T, Gardner J, Wang B, Zhai WX, Zhu LH, et al.](#) [Related Articles, Links](#)

 A receptor kinase-like protein encoded by the rice disease resistance gene, Xa21.
Science. 1995 Dec 15;270(5243):1804-6.
PMID: 8525370 [PubMed - indexed for MEDLINE]


 **10:** [Jiang J, Gill BS, Wang GL, Ronald PC, Ward DC.](#) [Related Articles, Links](#)

 Metaphase and interphase fluorescence in situ hybridization mapping of the rice genome with bacterial artificial chromosomes.
Proc Natl Acad Sci U S A. 1995 May 9;92(10):4487-91.
PMID: 7753830 [PubMed - indexed for MEDLINE]

Display **Summary**  Show: **20**  **Sort**  **Send to** **Text** 
Items 1-10 of 10 One page.

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Rp1-D AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Display

Summary

Show:

20

Sort

Send to

Text

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: Rostoks N, Zalc M, Soule J, Brueggeman R, Druka A, Kudrna D, Steffenson B, Kleinhofs A. Related Articles, Links



A barley gene family homologous to the maize rust resistance gene Rp1-D. Theor Appl Genet. 2002 Jun;104(8):1298-1306. Epub 2002 May 08. PMID: 12582584 [PubMed - as supplied by publisher]

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed Nucleotide Protein Genome Structure PMC Taxonomy OMIM Bio

Search PubMed for Rpp5 AND resistance AND plant

☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Title/Abstract

Text Version

Show: 20 Sort

Items 1-7 of 7

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Austin MJ, Muskett P, Kahn K, Feys BJ, Jones JD, Parker JE.](#) Links

☐ Regulatory role of SGT1 in early R gene-mediated plant defenses.
Science. 2002 Mar 15;295(5562):2077-80. Epub 2002 Feb 14.
PMID: 11847308 [PubMed - indexed for MEDLINE]

☐ 2: [van der Biezen EA, Sun J, Coleman MJ, Bibb MJ, Jones JD.](#) Links

☐ Arabidopsis RelA/SpoT homologs implicate (p)ppGpp in plant signaling.
Proc Natl Acad Sci U S A. 2000 Mar 28;97(7):3747-52.
PMID: 10725385 [PubMed - indexed for MEDLINE]

☐ 3: [Meyers BC, Dickerman AW, Michelmore RW, Sivaramakrishnan S, Sobral BW, Young ND.](#) Links

☐ Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily.
Plant J. 1999 Nov;20(3):317-32.
PMID: 10571892 [PubMed - indexed for MEDLINE]

☐ 4: [Gassmann W, Hinsch ME, Staskawicz BJ.](#) Links

☐ The Arabidopsis RPS4 bacterial-resistance gene is a member of the TIR-NBS-LRR family of disease-resistance genes.
Plant J. 1999 Nov;20(3):265-77.
PMID: 10571887 [PubMed - indexed for MEDLINE]

☐ 5: [Gowda BS, Riopel JL, Timko MP.](#) Links


☐ NRSA-1: a resistance gene homolog expressed in roots of non-host plants following parasitism by Striga asiatica (witchweed).
Plant J. 1999 Oct;20(2):217-30.
PMID: 10571881 [PubMed - indexed for MEDLINE]

☐ 6: [Parker JE, Coleman MJ, Szabo V, Frost LN, Schmidt R, van der Biezen EA, Moores T, Dean C, Daniels MJ, Jones JD.](#) Links

☐ The Arabidopsis downy mildew resistance gene RPP5 shares similarity to the toll and interleukin-1 receptors with N and L6.
Plant Cell. 1997 Jun;9(6):879-94.
PMID: 9212464 [PubMed - indexed for MEDLINE]

☐ 7: [Reignault P, Frost LN, Richardson H, Daniels MJ, Jones JD, Parker JE.](#) Links

☐ Four Arabidopsis RPP loci controlling resistance to the Noco2 isolate of Peronospora parasitica map to regions known to contain other RPP recognition specificities.
Mol Plant Microbe Interact. 1996 Aug;9(6):464-73.
PMID: 8755623 [PubMed - indexed for MEDLINE]



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Rpp8 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Display

Summary

Show:

20

Sort

Send to Text

Items 1-2 of 2

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Meyers BC, Dickerman AW, Michelmore RW, Sivaramakrishnan S, Sobral BW, Young ND.](#) Links



Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily.

Plant J. 1999 Nov;20(3):317-32.

PMID: 10571892 [PubMed - indexed for MEDLINE]

- ☐ 2: [McDowell JM, Dhandaydham M, Long TA, Aarts MG, Goff S, Holub EB, Dangl JL.](#) Links



Intragenic recombination and diversifying selection contribute to the evolution of downy mildew resistance at the RPP8 locus of Arabidopsis.

Plant Cell. 1998 Nov;10(11):1861-74.

PMID: 9811794 [PubMed - indexed for MEDLINE]


[Write to the Help Desk](#)

[NCBI | NLM | NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search

PubMed

for

RPS4 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-5 of 5

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Jordan T, Schormack S, Lahaye T.](#)[Related Articles, Links](#)

Alternative splicing of transcripts encoding Toll-like plant resistance proteins - what's the functional relevance to innate immunity?

Trends Plant Sci. 2002 Sep;7(9):392-8.

PMID: 12234730 [PubMed - indexed for MEDLINE]

☐ 2: [Lu M, Tang X, Zhou JM.](#)[Related Articles, Links](#)

Arabidopsis NHO1 Is Required for General Resistance against Pseudomonas Bacteria.

Plant Cell. 2001 Feb;13(2):437-47.

PMID: 11226196 [PubMed - in process]

☐ 3: [Dodds PN, Lawrence GJ, Ellis JG.](#)[Related Articles, Links](#)

Six amino acid changes confined to the leucine-rich repeat beta-strand/beta-turn motif determine the difference between the P and P2 rust resistance specificities in flax.

Plant Cell. 2001 Jan;13(1):163-78.

PMID: 11158537 [PubMed - indexed for MEDLINE]

☐ 4: [Gassmann W, Hinsch ME, Staskawicz BJ.](#)[Related Articles, Links](#)

The Arabidopsis RPS4 bacterial-resistance gene is a member of the TIR-NBS-LRR family of disease-resistance genes.

Plant J. 1999 Nov;20(3):265-77.

PMID: 10571887 [PubMed - indexed for MEDLINE]

☐ 5: [Fargo DC, Zhang M, Gillham NW, Boynton JE.](#)[Related Articles, Links](#)

Shine-Dalgarno-like sequences are not required for translation of chloroplast mRNAs in Chlamydomonas reinhardtii chloroplasts or in Escherichia coli.

Mol Gen Genet. 1998 Feb;257(3):271-82.

PMID: 9520261 [PubMed - indexed for MEDLINE]

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-5 of 5

One page.

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed for PRF AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-9 of 9

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Ballvora A, Ercolano MR, Weiss J, Meksem K, Bormann CA, Oberhagemann P, Salamini F, Gebhardt C.](#)

Related Articles, Links



The R1 gene for potato resistance to late blight (*Phytophthora infestans*) belongs to the leucine zipper/NBS/LRR class of plant resistance genes. *Plant J.* 2002 May;30(3):361-71. PMID: 12000683 [PubMed - indexed for MEDLINE]

- ☐ 2: [Brommonschenkel SH, Frary A, Frary A, Tanksley SD.](#)

Related Articles, Links



The broad-spectrum tospovirus resistance gene Sw-5 of tomato is a homolog of the root-knot nematode resistance gene Mi. *Mol Plant Microbe Interact.* 2000 Oct;13(10):1130-8. PMID: 11043474 [PubMed - indexed for MEDLINE]

- ☐ 3: [Grube RC, Radwanski ER, Jahn M.](#)

Related Articles, Links



Comparative genetics of disease resistance within the solanaceae. *Genetics.* 2000 Jun;155(2):873-87. PMID: 10835406 [PubMed - indexed for MEDLINE]

- ☐ 4: [Thara VK, Tang X, Gu YQ, Martin GB, Zhou JM.](#)

Related Articles, Links



Pseudomonas syringae pv tomato induces the expression of tomato EREBP-like genes *pti4* and *pti5* independent of ethylene, salicylate and jasmonate. *Plant J.* 1999 Nov;20(4):475-83. PMID: 10607299 [PubMed - as supplied by publisher]

- ☐ 5: [Meyers BC, Dickerman AW, Micheltore RW, Sivaramakrishnan S, Sobral BW, Young ND.](#)

Related Articles, Links



Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily. *Plant J.* 1999 Nov;20(3):317-32. PMID: 10571892 [PubMed - indexed for MEDLINE]

- ☐ 6: [Rathjen JP, Chang JH, Staskawicz BJ, Micheltore RW.](#)

Related Articles, Links



Constitutively active Pto induces a Prf-dependent hypersensitive response in the absence of *avrPto*. *EMBO J.* 1999 Jun 15;18(12):3232-40. PMID: 10369664 [PubMed - indexed for MEDLINE]

- ☐ 7: [Tobias CM, Oldroyd GE, Chang JH, Staskawicz BJ.](#)


Related Articles, Links



Plants expressing the Pto disease resistance gene confer resistance to recombinant PVX containing the avirulence gene *AvrPto*. *Plant J.* 1999 Jan;17(1):41-50.

PMID: 10069066 [PubMed - indexed for MEDLINE]


- ☐ 8: [Milligan SB, Bodeau J, Yaghoobi J, Kaloshian I, Zabel P, Williamson VM.](#) [Related Articles, Links](#)

 The root knot nematode resistance gene Mi from tomato is a member of the leucine zipper, nucleotide binding, leucine-rich repeat family of plant genes.

Plant Cell. 1998 Aug;10(8):1307-19.

PMID: 9707531 [PubMed - indexed for MEDLINE]

- ☐ 9: [Salmeron JM, Oldroyd GE, Rommens CM, Scofield SR, Kim HS, Lavelle DT, Dahlbeck D, Staskawicz BJ.](#) [Related Articles, Links](#)

 Tomato Prf is a member of the leucine-rich repeat class of plant disease resistance genes and lies embedded within the Pto kinase gene cluster.


Cell. 1996 Jul 12;86(1):123-33.

PMID: 8689679 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** **Sort** **Send to** **Text**
Items 1-9 of 9 One page.

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for L6 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-11 of 11

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Huettel B, Santra D, Muehlbauer J, Kahl G.](#)[Related Articles, Links](#)

Resistance gene analogues of chickpea (*Cicer arietinum* L.): isolation, genetic mapping and association with a *Fusarium* resistance gene cluster. *Theor Appl Genet.* 2002 Aug;105(2-3):479-490. Epub 2002 Jun 11. PMID: 12582554 [PubMed - as supplied by publisher]

☐ 2: [Ayliffe MA, Roberts JK, Mitchell HJ, Zhang R, Lawrence GJ, Ellis JG, Pryor TJ.](#)[Related Articles, Links](#)

A plant gene up-regulated at rust infection sites. *Plant Physiol.* 2002 May;129(1):169-80. PMID: 12011348 [PubMed - indexed for MEDLINE]

☐ 3: [Meyers BC, Dickerman AW, Michelmore RW, Sivaramakrishnan S, Sobral JW, Young ND.](#)[Related Articles, Links](#)

Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily. *Plant J.* 1999 Nov;20(3):317-32. PMID: 10571892 [PubMed - indexed for MEDLINE]

☐ 4: [Gassmann W, Hinsch ME, Staskawicz BJ.](#)[Related Articles, Links](#)

The Arabidopsis RPS4 bacterial-resistance gene is a member of the TIR-NBS-LRR family of disease-resistance genes. *Plant J.* 1999 Nov;20(3):265-77. PMID: 10571887 [PubMed - indexed for MEDLINE]

☐ 5: [Gowda BS, Riopel JL, Timko MP.](#)[Related Articles, Links](#)


NRSA-1: a resistance gene homolog expressed in roots of non-host plants following parasitism by *Striga asiatica* (witchweed). *Plant J.* 1999 Oct;20(2):217-30. PMID: 10571881 [PubMed - indexed for MEDLINE]

☐ 6: [Ayliffe MA, Frost DV, Finnegan EJ, Lawrence GJ, Anderson PA, Ellis JG.](#)[Related Articles, Links](#)

Analysis of alternative transcripts of the flax L6 rust resistance gene. *Plant J.* 1999 Feb;17(3):287-92. PMID: 10097386 [PubMed - indexed for MEDLINE]

☐ 7: [Luck JE, Lawrence GJ, Finnegan EJ, Jones DA, Ellis JG.](#)[Related Articles, Links](#)

A flax transposon identified in two spontaneous mutant alleles of the L6 rust resistance gene. *Plant J.* 1998 Nov;16(3):365-9. PMID: 9881156 [PubMed - indexed for MEDLINE]

-  **8:** [Parker JE, Coleman MJ, Szabo V, Frost LN, Schmidt R, van der Biezen EA, Moores T, Dean C, Daniels MJ, Jones JD](#) [Related Articles, Links](#)



The Arabidopsis downy mildew resistance gene RPP5 shares similarity to the toll and interleukin-1 receptors with N and L6.

Plant Cell. 1997 Jun;9(6):879-94.

PMID: 9212464 [PubMed - indexed for MEDLINE]


-  **9:** [Kanazin V, Marek LF, Shoemaker RC](#) [Related Articles, Links](#)



Resistance gene analogs are conserved and clustered in soybean.

Proc Natl Acad Sci U S A. 1996 Oct 15;93(21):11746-50.

PMID: 8876208 [PubMed - indexed for MEDLINE]


-  **10:** [Lawrence GJ, Finnegan EJ, Ayliffe MA, Ellis JG](#) [Related Articles, Links](#)



The L6 gene for flax rust resistance is related to the Arabidopsis bacterial resistance gene RPS2 and the tobacco viral resistance gene N.

Plant Cell. 1995 Aug;7(8):1195-206.

PMID: 7549479 [PubMed - indexed for MEDLINE]

-  **11:** [Lawrence G, Finnegan J, Ellis J](#) [Related Articles, Links](#)



Instability of the L6 gene for rust resistance in flax is correlated with the presence of a linked Ac element.

Plant J. 1993 Oct;4(4):659-69.

PMID: 8252068 [PubMed - indexed for MEDLINE]

Display	Summary	Show:	20	Sort	Send to	Text
Items 1-11 of 11				One page.		

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed for Rx AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-7 of 7

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Goulden MG, Baulcombe DC.](#)[Related Articles, Links](#)Functionally Homologous Host Components Recognize Potato Virus X in *Gomphrena globosa* and Potato.

Plant Cell. 1993 Aug;5(8):921-930.

PMID: 12271090 [PubMed - as supplied by publisher]

☐ 2: [Moffett P, Farnham G, Peart J, Baulcombe DC.](#)[Related Articles, Links](#)

Interaction between domains of a plant NBS-LRR protein in disease resistance-related cell death.

EMBO J. 2002 Sep 2;21(17):4511-9.

PMID: 12198153 [PubMed - indexed for MEDLINE]

☐ 3: [Jin H, Axtell MJ, Dahlbeck D, Ekwenna O, Zhang S, Staskawicz B, Baker B.](#)[Related Articles, Links](#)

NPK1, an MEKK1-like mitogen-activated protein kinase kinase, regulates innate immunity and development in plants.

Dev Cell. 2002 Aug;3(2):291-7.

PMID: 12194859 [PubMed - indexed for MEDLINE]

☐ 4: [Peart JR, Cook G, Feys BJ, Parker JE, Baulcombe DC.](#)[Related Articles, Links](#)

An EDS1 orthologue is required for N-mediated resistance against tobacco mosaic virus.

Plant J. 2002 Mar;29(5):569-79.

PMID: 11874570 [PubMed - indexed for MEDLINE]

☐ 5: [Brommonschenkel SH, Frary A, Frary A, Tanksley SD.](#)[Related Articles, Links](#)

The broad-spectrum tospovirus resistance gene Sw-5 of tomato is a homolog of the root-knot nematode resistance gene Mi.

Mol Plant Microbe Interact. 2000 Oct;13(10):1130-8.

PMID: 11043474 [PubMed - indexed for MEDLINE]

☐ 6: [Feigelstock DA, Tozzini AC, Hopp HE.](#)[Related Articles, Links](#)

Coat protein sequence of a resistance-breaking strain of potato virus X isolated in Argentina.

Virus Genes. 1995;10(3):289-92.

PMID: 8560791 [PubMed - indexed for MEDLINE]

☐ 7: [Baulcombe D, Gilbert J, Goulden M, Kohm B, Cruz SS.](#)[Related Articles, Links](#)

Molecular biology of resistance to potato virus X in potato.

Biochem Soc Symp. 1994;60:207-18. Review.

PMID: 7639780 [PubMed - indexed for MEDLINE]



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed for Mi AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-7 of 7

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Tameling WL, Elzinga SD, Darmin PS, Vossen JH, Takken FL, Haring MA, Cornelissen BJ.](#) Related Articles, Links



The tomato R gene products I-2 and MI-1 are functional ATP binding proteins with ATPase activity.

Plant Cell. 2002 Nov;14(11):2929-39.

PMID: 12417711 [PubMed - indexed for MEDLINE]

- ☐ 2: [Brommonschenkel SH, Frary A, Frary A, Tanksley SD.](#) Related Articles, Links



The broad-spectrum tospovirus resistance gene Sw-5 of tomato is a homolog of the root-knot nematode resistance gene Mi.

Mol Plant Microbe Interact. 2000 Oct;13(10):1130-8.

PMID: 11043474 [PubMed - indexed for MEDLINE]

- ☐ 3: [Meyers BC, Dickerman AW, Michelnore RW, Sivaramakrishnan S, Sobral RW, Young ND.](#) Related Articles, Links



Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily.

Plant J. 1999 Nov;20(3):317-32.

PMID: 10571892 [PubMed - indexed for MEDLINE]

- ☐ 4: [Vos P, Simons G, Jesse T, Wijbrandi J, Heinen L, Hogers R, Frijters A, Groenendijk J, Diergaarde P, Reijans M, Fierens-Onstenk J, de Both M, Peleman J, Liharska T, Hontelez J, Zabeau M.](#) Related Articles, Links



The tomato Mi-1 gene confers resistance to both root-knot nematodes and potato aphids.

Nat Biotechnol. 1998 Dec;16(13):1365-9.

PMID: 9853621 [PubMed - indexed for MEDLINE]

- ☐ 5: [Rossi M, Goggin FL, Milligan SB, Kaloshian I, Ullman DE, Williamson VM.](#) Related Articles, Links



The nematode resistance gene Mi of tomato confers resistance against the potato aphid.

Proc Natl Acad Sci U S A. 1998 Aug 18;95(17):9750-4.

PMID: 9707547 [PubMed - indexed for MEDLINE]

- ☐ 6: [Milligan SB, Bodeau J, Yaghoobi J, Kaloshian I, Zabel P, Williamson VM.](#) Related Articles, Links



The root knot nematode resistance gene Mi from tomato is a member of the leucine zipper, nucleotide binding, leucine-rich repeat family of plant genes.

Plant Cell. 1998 Aug;10(8):1307-19.

PMID: 9707531 [PubMed - indexed for MEDLINE]

☐ 7: [Stoewsand GS, Anderson JL, Robinson RW.](#)

[Related Articles, Links](#)



Safety assessment of a nematode-resistant tomato by a simple, short-term rat feeding study.

Regul Toxicol Pharmacol. 1996 Aug;24(1 Pt 1):6-8.

PMID: 8921540 [PubMed - indexed for MEDLINE]

Display **Summary** **Show:** **20** **Sort** **Send to** **Text**
Items 1-7 of 7 One page.


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Dm3 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-4 of 4

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Shen KA, Chin DB, Arroyo-Garcia R, Ochoa OE, Lavelle DO, Wroblewski T, Meyers BC, Micheltmore RW.](#) Related Articles, Links



Dm3 is one member of a large constitutively expressed family of nucleotide binding site-leucine-rich repeat encoding genes.

Mol Plant Microbe Interact. 2002 Mar;15(3):251-61.

PMID: 11952128 [PubMed - indexed for MEDLINE]

- ☐ 2: [Meyers BC, Dickerman AW, Micheltmore RW, Sivaramakrishnan S, Sobral BW, Young ND.](#) Related Articles, Links



Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily.

Plant J. 1999 Nov;20(3):317-32.

PMID: 10571892 [PubMed - indexed for MEDLINE]

- ☐ 3: [Meyers BC, Chin DB, Shen KA, Sivaramakrishnan S, Lavelle DO, Zhang Z, Micheltmore RW.](#) Related Articles, Links



The major resistance gene cluster in lettuce is highly duplicated and spans several megabases.

Plant Cell. 1998 Nov;10(11):1817-32.

PMID: 9811791 [PubMed - indexed for MEDLINE]

- ☐ 4: [Okubara PA, Anderson PA, Ochoa OE, Micheltmore RW.](#) Related Articles, Links



Mutants of downy mildew resistance in Lactuca sativa (lettuce).

Genetics. 1994 Jul;137(3):867-74.

PMID: 8088530 [PubMed - indexed for MEDLINE]


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Xa1 AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-2 of 2

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

- ☐ 1: [Meyers BC, Dickerman AW, Michelmore RW, Sivaramakrishnan S, Sobral BW, Young ND.](#) Related Articles, Links



Plant disease resistance genes encode members of an ancient and diverse protein family within the nucleotide-binding superfamily.

Plant J. 1999 Nov;20(3):317-32.

PMID: 10571892 [PubMed - indexed for MEDLINE]

- ☐ 2: [Yoshimura S, Yamanouchi U, Katayose Y, Toki S, Wang ZX, Kono I, Kurata N, Yano M, Iwata N, Sasaki T.](#) Related Articles, Links



Expression of Xa1, a bacterial blight-resistance gene in rice, is induced by bacterial inoculation.

Proc Natl Acad Sci U S A. 1998 Feb 17;95(4):1663-8.

PMID: 9465073 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)

[NCBI | NLM | NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Pib AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-2 of 2

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: Wang ZX, Yamanouchi U, Katayose Y, Sasaki T, Yano M.

Related Articles, Links



Expression of the Pib rice-blast-resistance gene family is up-regulated by environmental conditions favouring infection and by chemical signals that trigger secondary plant defences.

Plant Mol Biol. 2001 Nov;47(5):653-61.

PMID: 11725950 [PubMed - indexed for MEDLINE]

☐ 2: Wang ZX, Yano M, Yamanouchi U, Iwamoto M, Monna L,

Related Articles, Links



Hayasaka H, Katayose Y, Sasaki T.


The Pib gene for rice blast resistance belongs to the nucleotide binding and leucine-rich repeat class of plant disease resistance genes.

Plant J. 1999 Jul;19(1):55-64.

PMID: 10417726 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed for Pto AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show: 20

Sort

Send to

Text

Items 1-20 of 32

Page

1

of 2 Next

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Fouts DE, Badel JL, Ramos AR, Rapp RA, Collmer A.](#)[Related Articles, Links](#)

A pseudomonas syringae pv. tomato DC3000 Hrp (Type III secretion) deletion mutant expressing the Hrp system of bean pathogen P. syringae pv. syringae 61 retains normal host specificity for tomato.

Mol Plant Microbe Interact. 2003 Jan;16(1):43-52.

PMID: 12580281 [PubMed - indexed for MEDLINE]

☐ 2: [Abramovitch RB, Kim YJ, Chen S, Dickman MB, Martin GB.](#)[Related Articles, Links](#)

Pseudomonas type III effector AvrPtoB induces plant disease susceptibility by inhibition of host programmed cell death.

EMBO J. 2003 Jan 2;22(1):60-9.

PMID: 12505984 [PubMed - indexed for MEDLINE]

☐ 3: [Jin H, Axtell MJ, Dahlbeck D, Ekwenna O, Zhang S, Staskawicz B, Baker B.](#)[Related Articles, Links](#)

NPK1, an MEKK1-like mitogen-activated protein kinase kinase kinase, regulates innate immunity and development in plants.

Dev Cell. 2002 Aug;3(2):291-7.

PMID: 12194859 [PubMed - indexed for MEDLINE]

☐ 4: [Kim YJ, Lin NC, Martin GB.](#)[Related Articles, Links](#)

Two distinct Pseudomonas effector proteins interact with the Pto kinase and activate plant immunity.

Cell. 2002 May 31;109(5):589-98.

PMID: 12062102 [PubMed - indexed for MEDLINE]

☐ 5: [Gu YQ, Wildermuth MC, Chakravarthy S, Loh YT, Yang C, He X, Han Y, Martin GB.](#)[Related Articles, Links](#)

Tomato transcription factors pti4, pti5, and pti6 activate defense responses when expressed in Arabidopsis.

Plant Cell. 2002 Apr;14(4):817-31.

PMID: 11971137 [PubMed - indexed for MEDLINE]

☐ 6: [Peart JR, Cook G, Feys BJ, Parker JE, Baulcombe DC.](#)[Related Articles, Links](#)




















An EDS1 orthologue is required for N-mediated resistance against tobacco mosaic virus.

Plant J. 2002 Mar;29(5):569-79.

PMID: 11874570 [PubMed - indexed for MEDLINE]

☐ 7: [Vleeshouwers VG, Martens A, van Doijeweert W, Colon LT, Govers F, Kamoun S.](#)[Related Articles, Links](#)

Ancient diversification of the Pto kinase family preceded speciation in

-  **Solanum.**
Mol Plant Microbe Interact. 2001 Aug;14(8):996-1005.
PMID: 11497472 [PubMed - indexed for MEDLINE]
-  **8:** [Swiderski MR, Innes RW.](#) Related Articles, Links
-  **The Arabidopsis PBS1 resistance gene encodes a member of a novel protein kinase subfamily.**
Plant J. 2001 Apr;26(1):101-12.
PMID: 11359614 [PubMed - indexed for MEDLINE]
-  **9:** [Shan L, Thara VK, Martin GB, Zhou JM, Tang X.](#) Related Articles, Links
-  **The pseudomonas AvrPto protein is differentially recognized by tomato and tobacco and is localized to the plant plasma membrane.**
Plant Cell. 2000 Dec;12(12):2323-2338.
PMID: 11148281 [PubMed - indexed for MEDLINE]
-  **10:** [Sessa G, Martin GB.](#) Related Articles, Links
-  **Signal recognition and transduction mediated by the tomato Pto kinase: a paradigm of innate immunity in plants.**
Microbes Infect. 2000 Nov;2(13):1591-7. Review.
PMID: 11113378 [PubMed - indexed for MEDLINE]
-  **11:** [Chandra S, Martin GB, Low PS.](#) Related Articles, Links
-  **The Pto kinase mediates a signaling pathway leading to the oxidative burst in tomato.**
Proc Natl Acad Sci U S A. 1996 Nov 12;93(23):13393-13397.
PMID: 11038525 [PubMed - as supplied by publisher]
-  **12:** [Bogdanove AJ, Martin GB.](#) Related Articles, Links
-  **AvrPto-dependent Pto-interacting proteins and AvrPto-interacting proteins in tomato.**
Proc Natl Acad Sci U S A. 2000 Aug 1;97(16):8836-40. Review.
PMID: 10922043 [PubMed - indexed for MEDLINE]
-  **13:** [Grube RC, Radwanski ER, Jahn M.](#) Related Articles, Links
-  **Comparative genetics of disease resistance within the solanaceae.**
Genetics. 2000 Jun;155(2):873-87.
PMID: 10835406 [PubMed - indexed for MEDLINE]
-  **14:** [Shan L, He P, Zhou JM, Tang X.](#) Related Articles, Links
-  **A cluster of mutations disrupt the avirulence but not the virulence function of AvrPto.**
Mol Plant Microbe Interact. 2000 Jun;13(6):592-8.
PMID: 10830258 [PubMed - indexed for MEDLINE]
-  **15:** [Sessa G, D'Ascenzo M, Martin GB.](#) Related Articles, Links
-  **Thr38 and Ser198 are Pto autophosphorylation sites required for the AvrPto-Pto-mediated hypersensitive response.**
EMBO J. 2000 May 15;19(10):2257-69. Erratum in: EMBO J 2000 Jun 15;19(12):3157.
PMID: 10811617 [PubMed - indexed for MEDLINE]
-  **16:** [Thara VK, Tang X, Gu YQ, Martin GB, Zhou JM.](#) Related Articles, Links
-  **Pseudomonas syringae pv tomato induces the expression of tomato EREBP-like genes pti4 and pti5 independent of ethylene, salicylate and**

jasmonate

Plant J. 1999 Nov;20(4):475-83.

PMID: 10607299 [PubMed - as supplied by publisher]

☐ **17:** [Rathjen JP, Chang JH, Staskawicz BJ, Michelmore RW.](#) [Related Articles, Links](#)



Constitutively active Pto induces a Prf-dependent hypersensitive response in the absence of avrPto.

EMBO J. 1999 Jun 15;18(12):3232-40.

PMID: 10369664 [PubMed - indexed for MEDLINE]

☐ **18:** [Gibbon MJ, Sesma A, Canal A, Wood JR, Hidalgo E, Brown J, Vivian A, Murillo J.](#) [Related Articles, Links](#)



Replication regions from plant-pathogenic Pseudomonas syringae plasmids are similar to ColE2-related replicons.

Microbiology. 1999 Feb;145 (Pt 2):325-34.

PMID: 10075415 [PubMed - indexed for MEDLINE]

☐ **19:** [Tobias CM, Oldroyd GE, Chang JH, Staskawicz BJ.](#) [Related Articles, Links](#)



Plants expressing the Pto disease resistance gene confer resistance to recombinant PVX containing the avirulence gene AvrPto.

Plant J. 1999 Jan;17(1):41-50.

PMID: 10069066 [PubMed - indexed for MEDLINE]

☐ **20:** [Innes RW.](#) [Related Articles, Links](#)



Genetic dissection of R gene signal transduction pathways.


Curr Opin Plant Biol. 1998 Aug;1(4):299-304. Review.

PMID: 10066602 [PubMed - indexed for MEDLINE]

Display	Summary	Show:	20	Sort	Send to	Text
Items 1-20 of 32		Page		1	of 2 Next	

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01

[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Taxonomy](#)[OMIM](#)[Bio](#)Search for ☒ Limits[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[About Entrez](#)Field: **Title/Abstract**

Text Version

Show:

Items 1-2 of 2

One page.

Entrez PubMed[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)**PubMed Services**[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)**Related Resources**[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)☐ **1:** [Sessa G, D'Ascenzo M, Martin GB.](#)[Related Articles, Links](#)**Thr38 and Ser198 are Pto autophosphorylation sites required for the AvrPto-Pto-mediated hypersensitive response.**

EMBO J. 2000 May 15;19(10):2257-69. Erratum in: EMBO J 2000 Jun 15;19(12):3157.

PMID: 10811617 [PubMed - indexed for MEDLINE]


☐ **2:** [Sessa G, D'Ascenzo M, Loh YT, Martin GB.](#)[Related Articles, Links](#)**Biochemical properties of two protein kinases involved in disease resistance signaling in tomato.**

J Biol Chem. 1998 Jun 19;273(25):15860-5.

PMID: 9624187 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Mlo AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-9 of 9

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Liu WD, Wang SP.](#)[Related Articles, Links](#)

[Analysis and mapping of homologous sequences of barley disease resistance gene Mlo and maize disease resistance gene Hm1 in rice]

Yi Chuan Xue Bao. 2002 Oct;29(10):875-9. Chinese.

PMID: 12561471 [PubMed - indexed for MEDLINE]

☐ 2: [Schultheiss H, Dechert C, Kogel KH, Huckelhoven R.](#)[Related Articles, Links](#)

A small GTP-binding host protein is required for entry of powdery mildew fungus into epidermal cells of barley.

Plant Physiol. 2002 Apr;128(4):1447-54.

PMID: 11950993 [PubMed - indexed for MEDLINE]

☐ 3: [Kim MC, Lee SH, Kim JK, Chun HJ, Choi MS, Chung WS, Moon BC, Kang CH, Park CY, Yoo JH, Kang YH, Koo SC, Koo YD,](#)[Related Articles, Links](#)[Jung JC, Kim ST, Schulze-Lefert P, Lee SY, Cho MJ.](#)

Mlo, a modulator of plant defense and cell death, is a novel calmodulin-binding protein. Isolation and characterization of a rice Mlo homologue.

J Biol Chem. 2002 May 31;277(22):19304-14. Epub 2002 Mar 19.

PMID: 11904292 [PubMed - indexed for MEDLINE]

☐ 4: [Huckelhoven R, Dechert C, Trujillo M, Kogel KH.](#)[Related Articles, Links](#)

Differential expression of putative cell death regulator genes in near-isogenic, resistant and susceptible barley lines during interaction with the powdery mildew fungus.

Plant Mol Biol. 2001 Dec;47(6):739-48.

PMID: 11785935 [PubMed - indexed for MEDLINE]

☐ 5: [Schweizer P, Pokorny J, Schulze-Lefert P, Dudler R.](#)[Related Articles, Links](#)

Technical advance. Double-stranded RNA interferes with gene function at the single-cell level in cereals.

Plant J. 2000 Dec;24(6):895-903.

PMID: 11135122 [PubMed - indexed for MEDLINE]


☐ 6: [Devoto A, Piffanelli P, Nilsson L, Wallin E, Panstruga R, von Heijne G, Schulze-Lefert P.](#)[Related Articles, Links](#)


Topology, subcellular localization, and sequence diversity of the Mlo family in plants.


J Biol Chem. 1999 Dec 3;274(49):34993-5004.

PMID: 10574976 [PubMed - indexed for MEDLINE]


☐ 7: [Buschges R, Hollricher K, Panstruga R, Simons G, Wolter M, Frijters A, van Daelen R, van der Lee T, Djergaarde P, Groenendijk J, Topsch S, Vos P, Salamini F, Schulze-Lefert P.](#)[Related Articles, Links](#)

 **The barley Mlo gene: a novel control element of plant pathogen resistance.**
Cell. 1997 Mar 7;88(5):695-705.
PMID: 9054509 [PubMed - indexed for MEDLINE]

 **8:** [Wolter M, Hollricher K, Salamini F, Schulze-Lefert P.](#) [Related Articles, Links](#)

 **The mlo resistance alleles to powdery mildew infection in barley trigger a developmentally controlled defence mimic phenotype.**
Mol Gen Genet. 1993 May;239(1-2):122-8.
PMID: 8510641 [PubMed - indexed for MEDLINE]


 **9:** [Bove JM.](#) [Related Articles, Links](#)

 **Mycoplasma infections of plants.**
Isr J Med Sci. 1981 Jul;17(7):572-85.
PMID: 7287398 [PubMed - indexed for MEDLINE]

Display **Summary** **Show:** **20** **Sort** **Send to** **Text**
Items 1-9 of 9 One page.

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 8 2003 10:56:01

[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[PMC](#)[Taxonomy](#)[OMIM](#)[Bio](#)Search for ☒ Limits[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[About Entrez](#)Field: **Title/Abstract**

Show:

Text Version

Items 1-2 of 2

One page.

Entrez PubMed

[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)

PubMed Services

[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)

Related Resources

[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)☐ **1:** [Feuillet C, Reuzeau C, Kjellbom P, Keller B.](#)[Related Articles, Links](#)**Molecular characterization of a new type of receptor-like kinase (wlrk) gene family in wheat.**

Plant Mol Biol. 1998 Aug;37(6):943-53.

PMID: 9700067 [PubMed - indexed for MEDLINE]


☐ **2:** [Feuillet C, Schachermayr G, Keller B.](#)[Related Articles, Links](#)**Molecular cloning of a new receptor-like kinase gene encoded at the Lr10 disease resistance locus of wheat.**

Plant J. 1997 Jan;11(1):45-52.

PMID: 9025301 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01



PubMed

Nucleotide

Protein

Genome

Structure

PMC

Taxonomy

OMIM

Bio

Search PubMed

for Fen AND resistance AND plant

Go

Clear

☒ Limits

Preview/Index

History

Clipboard

Details

About Entrez

Field: Title/Abstract

Text Version

Display

Summary

Show:

20

Sort

Send to

Text

Items 1-3 of 3

One page.

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Frederick RD, Thilmony RL, Sessa G, Martin GB.](#) Related Articles, Links

Recognition specificity for the bacterial avirulence protein AvrPto is determined by Thr-204 in the activation loop of the tomato Pto kinase.

Mol Cell. 1998 Aug;2(2):241-5.

PMID: 9734361 [PubMed - indexed for MEDLINE]

☐ 2: [Salmeron JM, Oldroyd GE, Rommens CM, Scofield SR, Kim HS, Lavelle DT, Dahlbeck D, Staskawicz BJ.](#) Related Articles, Links

Tomato Prf is a member of the leucine-rich repeat class of plant disease resistance genes and lies embedded within the Pto kinase gene cluster.

Cell. 1996 Jul 12;86(1):123-33.

PMID: 8689679 [PubMed - indexed for MEDLINE]

☐ 3: [Loh YT, Martin GB.](#) Related Articles, Links

The disease-resistance gene Pto and the fenthion-sensitivity gene fen encode closely related functional protein kinases.

Proc Natl Acad Sci U S A. 1995 May 9;92(10):4181-4.

PMID: 7753781 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Jul 8 2003 10:56:01